


LUCIDE

OUTDOOR

FJARA

- 1x 0,3W/INTEGRATED LED/2800-3200K/30Lm/incl.
- Ø 17,5/H 25/total H 40 cm
- colors matt black/green/curry/terracotta
- metal
- touch dimmer on the product



06801/01/33



06801/01/97



06801/01/30



06801/01/43



CHARGER USB / INCL.



TOUCH ON-OFF
AND DIMMABLE

LA DONNA

- 1x 2W/INTEGRATED LED /2700K/263lm/incl.
- Ø 19,7cm/H 29,2 cm
- colors white
- aluminium & pc



TOUCH ON-OFF
AND DIMMABLE



POWER ADAPTER & CABLE INCL.

27500/02/31



- cable plug adapter incl.
- rechargeable batteries inside
- touch On/Off switch
- dimmable version
- charging time 4,5 hours
- touch 1 = 100% of light - 6,5 hours
- touch 2 = 40% of light - 15 hours
- touch 3 = 10% of light - 80 hours
- touch 4 = On/Off

27500/02/29



JUSTIN

- 1x4,5W/INTEGRATED LED/3000K/ 470lm/incl. 27888/05/30
- shade Ø 28/20 cm
- H 150/W 28/L 28 cm
- 1x7W/INTEGRATED LED/3000K/555lm/incl. 27888/07/30
- shade Ø 16,5/11,5 cm
- H 28,2/W 22,2/L 16,5 cm
- color black
- aluminium



27888/07/30



TOUCH ON-OFF
AND DIMMABLE



POWER ADAPTER &
CABLE INCL.

- incl. power adapter & cable
- rechargeable batteries inside
- touch switch and dimmable
- charging time - 9 hours
- work time - 9 hours

27888/05/30



JUSTIN

- 1x 2,2W/INTEGRATED LED/3000K/154lm/incl.
- H 38/D 11 cm
- colors black/white
- aluminium die casting



- incl. power adapter & cable
- rechargeable batteries inside
- touch switch and dimmable
- charging time - 5/7 hours
- work time - 9 hrs



POWER ADAPTER & CABLE INCL.




TOUCH ON-OFF
AND DIMMABLE

27888/04/31




27888/04/30



JOE

IN- & OUTDOOR

- 1x3W/integrated LED/3 level light/2800-3200K /278lm/incl.
- Ø 14,5/H 26,5 cm
- color opal White
- PE & wood



06800/03/31



- rechargeable battery 5V 4000mAh
- 4.5 - 5.5 hours w/ full power lighting
- 9.5 - 10.5 hours w/ medium power lighting
- 72 hours w/ lowest power lighting




POWER CONNECTION
FOR CHARGING CABLE

ON -OFF AND
3 STEP DIMMABLE


LITTLE JOE

IN- & OUTDOOR

- 1x 0,3W/integrated LED/2800-3200K /30lm/incl.
- Ø 10/H 18,5 cm
- color white & black/white & green/white & curry
- PE & metal



POWER CONNECTION
FOR CHARGING CABLE



ON -OFF AND
3 STEP DIMMABLE



- rechargeable battery
- 12 hours w/ full power lighting
- 18 hours w/ medium power lighting
- 72 hours w/ lowest power lighting

06802/01/30



06802/01/33




06802/01/43



RIO

IN- & OUTDOOR

- 1x 1,8W/integrated LED/3 level light/3000K /150lm/incl.
- shade Ø 11 - 15,3
- Ø 15,5/H 29,2 cm
- color multicolor
- plastic & metal



RECHARGEABLE

13815/02/99



ON/OFF SWITCH




LIGHTING IN MULTICOLOR: BLUE, GREEN, PINK, PURPLE & WARM WHITE

JIVE

IN- & OUTDOOR

- 1x 4W/integrated LED/3 level light/2800-6500K /95-180lm/incl.
- Ø 13,7/H 21,3 cm
- colors black/white
- ABS & iron



ON -OFF AND
3 STEP DIMMABLE



POWER CONNECTION
FOR CHARGING CABLE



3 LIGHT MODES: NATURAL, WHITE & WARM,



02807/04/30



02807/04/31

- rechargeable battery
- red light when charging
- charging time - 4 hours
- working time - 5 hours

PYRAMID

- 2x 42W/integrated LED/3 level light/2700K /238lm/incl.
- Ø 36/H 41,9 cm
- color dark grey & opal
- aluminium & plastic



POWER CABLE &
CHARGER ADAPTER INCLUDED


- rechargeable battery
- charging time 3 hours
- touch 1 = 100%
- working time w/ full light 4 hours
- touch 2 = 40%
- working time w/ medium light 10 hours
- touch 3 = 10%
- working time w/ little light 50 hours
- touch 4 = On/Off



27801/01/29

SPHERE

- 2x 20W/integrated LED/3 level light/2700K /150lm/incl.
- Ø 10,2/H 15 cm
- color dark grey/white
- aluminium



27800/01/31



27800/01/29



- rechargeable battery
- charging time 3 hours
- touch 1 = 100%
- working time w/ full light 4 hours
- touch 2 = 40%
- working time w/ medium light 10 hours
- touch 3 = 10%
- working time w/ little light 50 hours
- touch 4 = On/Off

POWER CABLE &
CHARGER ADAPTER INCLUDED



COMBO

- 1x7W/INTEGRATED LED/3000K/215lm/incl.
- Ø 9/H 25 cm 27874/25/30
- Ø 9/H 45 cm 27874/45/30
- Ø 9/H 65 cm 27874/65/30
- black
- aluminium

INTEGRATED
LED
INTÉGRÉ

IP54

WARM
WHITE
BLANC
CHAUD



27874/25/30



27874/45/30



27874/65/30



GOA

- 6,5W/INTEGRATED LED/3000K/350lm/incl.
- H 6/W 13/L 15 cm 28857/06/30
- H 60/W 6/L 15 cm 28857/61/30
- black
- aluminium

INTEGRATED
LED
INTÉGRÉ

IP54

WARM
WHITE
BLANC
CHAUD



28857/06/30



28857/61/30



TEXAS

- 7W/INTEGRATED LED/3000K/420lm/incl.
- H 12/W 6/L 15 cm 28850/24/30
- H 60/W 5/L 15 cm 28851/60/30 - 28851/61/30
- black
- aluminium

INTEGRATED
LED
INTÉGRÉ

IP54

WARM
WHITE
BLANC
CHAUD

IR



28850/24/30

INFRARED MOTION
SENSOR

TEXAS

- 7W/INTEGRATED LED/3000K/420lm/incl.
- H 12/W 6/L 15 cm 28850/23/30
- H 40/W 5/L 15 cm 28851/40/30
- black
- aluminium

INTEGRATED
LED
INTÉGRÉ

IP54

WARM
WHITE
BLANC
CHAUD



28850/23/30



28851/60/30



INFRARED MOTION
SENSOR

28851/61/30
WITH IR DETECTOR



28851/40/30



ZICO

- 1x E27/60W max./excl.
- H 23,3/W 25,8/Ø 21,8 cm
- H 100/D 21,8 cm
- color stainless steel/black
- stainless steel & aluminium

11874/01/12,30
11874/99/12,30
11874/01/12



11874/99/12
Spare glass 92/11874/60



11874/99/30

11874/01/30



bulb suggestion
49043/05/62

SOLID

- 1x E27/max 60 W excl.
- Ø 9/H 26/W 14,2 cm
- Ø 9/H 50 cm
- color black
- aluminium die cast & opal pc diffuser

14871/01/30
14871/50/30

IP54



14871/01/30



WITH LUX SENSOR
(TWILIGHT SWITCH, DAY/NIGHT SENSOR)




14871/50/30



bulb suggestion
49020/05/60

FEDOR

- 1x E27/40W max./excl.
- H 23/W 14,5/D 10 cm
- H 49,5/D 10 cm
- H 79,5/D 10 cm
- color satin chrome/matt black
- stainless steel & clear pc



14899/50/12




14899/50/30



KIBO

- E27/20W LED max./excl.
- Ø 7,5/H 39/W 15 cm
- Ø 7,5/H 45 cm
- color satin chrome
- inox 304/acrylic diffuser



14863/01/12

14863/45/12



bulb suggestion
49020/05/60

14863/45/12



14899/01/12



bulb suggestion
49035/05/62



14899/01/30



14899/80/30

14899/80/12



14863/01/12



NORMAN

- 1x E27/15W max./excl.
- Ø 9/H 17,1 cm 15805/01/30
- Ø 9/H 65 cm 15806/65/30
- color black
- aluminium



15805/01/30



15806/65/30



spare bulb
49020/05/60

LIAM

- 1x GU10/35W max.excl.
- H 18,1/W 9,4/L 13,8 cm
- H 80/W 9,4/L 13,8 cm
- anthracite
- aluminium



29898/80/29



TWILIGHT SWITCH
DAY/NIGHT SENSOR
29898/01/29




spare bulb
49006/05/30




DINGO LED

- 1x GU10/5W LED/3000K/320lm/incl.
- shade Ø 7-11,5 cm
- Ø 11,5/H 9/W 14,5 cm 14881/05/30, 31
- H 70/W 20,5 cm 14881/70/30, 31
- black/white
- aluminium & glass

IP44



DIMMABLE

WARM
WHITE
BLANC
CHAUD



14881/05/31

14881/70/30

14881/70/31

14881/05/30



spare bulb
49006/05/30



spare bulb
49006/05/31

NINKE

- 1x GU10/5W max./LED/excl.
- Ø 11 cm
- H 16,5/W 11/D 14 cm 14892/01/30
- H 80/Ø 11 cm 14892/80/30
- black
- aluminium & PC

IP54





14892/80/30



14892/01/30



bulb suggestion
49006/05/30



ARNE-LED

- (1x) (2x) GU10/LED 5W/2700K/350lm/incl.
- H 50/W 18/W max. 30 cm 14867/10/12
- base Ø 9,5 cm
- H 50/W 18,7/D 6,3 cm 14867/49/30,31
- H 90/W 21,9 /D 6,3 cm 14867/98/30,31
- colors black/satin chrome
- stainless steel

IP44

WARM
WHITE
BLANC
CHAUD



spare bulb
49008/05/60



14867/11/12



14867/11/30



14866/10/12



14866/10/30
Glass (92/14867/00)

INFRARED MOTION SENSOR



14867/05/12



14867/05/30



14866/05/12



14866/05/30



14867/10/12

ADJUSTABLE SPOTS



14867/98/30



14867/98/12



14867/49/30

14867/49/12

- 2x GU10/LED 5W/
- 2700K/350lm/incl.
- H 17/W 12/D 6,3 cm
- H 22,5/W 12/D 6,3 cm
- H 16/W 12/D 6,3 cm
- H 11,5/W 12/D 6,3 cm
- colors black & satin chrome
- stainless steel

- 14867/11/12,30
- 14866/10/12,30
- 14866/05/12,30
- 14867/05/12,30

IP44

WARM
WHITE
BLANC
CHAUD

IR



spare bulb
49008/05/60

ZORA-LED

- (1x) (2x)GU10/5W LED/3000K/320lm/incl.
- H 7,9/W 9/L 6,5 cm
- H 15/W 9/L 6,5 cm
- beam angle 36°
- colors black/white
- aluminium & glass

IP44

WARM
WHITE
BLANC
CHAUD

22861/05/30, 31
22861/10/30, 31

DOWN LIGHT



22861/05/30



22861/05/31

UP & DOWN LIGHT



22861/10/30



22861/10/31



spare bulb
49006/05/30



spare bulb
49006/05/31

ZORA-LED

- (1x) (2x) GU10/5W LED/3000K/320lm/incl.
- H 7,9/W 9/L 6,5 cm
- H 15/W 9/L 6,5 cm
- beam angle 36°
- colors black/white
- aluminium & glass

IP44


WARM
WHITE
BLANC
CHAUD

22860/05/30, 31
22860/10/30, 31

DOWN LIGHT



22860/05/30



22860/05/31

UP & DOWN LIGHT



22860/10/30



22860/10/31



spare bulb
49006/05/30



spare bulb
49006/05/31

ZARO

- (1x) (2x) GU10/35W max./excl.
- H 10/W 7,8/L 6,8 cm 69800/01/30, 31
- H 16/W 7,8/L 6,8 cm 69800/02/30, 31
- beam angle 36°
- colors black/white
- aluminium



DOWN LIGHT



69800/01/30



69800/01/31

UP & DOWN LIGHT



69800/02/30



69800/02/31



bulb suggestion
49006/05/30



bulb suggestion
49006/05/31

ZARO

- (1x) (2x) GU10/35W max./excl.
- H 11/W 9/L 8 cm 69801/01/30, 31
- H 16/W 7,8/L 6,8 cm 69801/02/30, 31
- beam angle 36°
- colors black/white
- aluminium



DOWN LIGHT



69801/01/30



69801/01/31

UP & DOWN LIGHT



69801/02/30



69801/02/31



bulb suggestion
49006/05/30



bulb suggestion
49006/05/31



BOOGY

- 2x GU10/LED max. 5W/excl.
- W 9,3/H 15/L 6,8 cm
- color black/rusty
- aluminium



UP & DOWN LIGHT



27863/02/97



27863/02/30



bulb suggestion
49006/05/30

TUBIX

- 1x E27/24W max. /excl.
- Ø 10,8/H 15,3 cm
- colors white/black
- aluminium die-casting



27870/01/31



27870/01/30



bulb suggestion
49021/04/60

TAYLOR

- (1x) (2x) GU10/35W max./excl.
- shade Ø 5,7/H 11 cm
- H 15,3/W 10/L 15 cm
- H 15,3/W 10/L 18 cm
- color black/white
- aluminium

09831/01/30,31
09831/02/30,31



09831/01/30



09831/01/31



09831/02/30

INFRARED MOTION SENSOR



09831/02/31



bulb suggestion
49009/05/30



bulb suggestion
49009/05/30

BRAN

- 1x 7W/INTEGRATED LED/2700K/345lm/incl.
- H 12,4/W 10,7/L 9,2 cm
- color anthracite
- aluminium



27817/07/29



WIZARD

- (1x) GU10/35W max./excl.
- H 22,1/Ø 7,8 cm
- color anthracite
- aluminium



27803/01/29



bulb suggestion
49006/05/30



MANAL

- 1x 12W/INTEGRATED LED/3000K/988lm/incl.
- H 17,3/W 13,9/L 9 cm 27896/12/29
- H 31,5/W 15,3/L 8,8 cm 27897/12/29
- color dark grey
- aluminium



27896/12/29



27897/12/29



ARNE-LED

- 1x GU10/LED 5W/2700K/350lm/incl.
- H 36/W 9/D 6,3 cm
- colors black/satin chrome
- stainless steel



spare bulb
49008/05/60



14868/05/30

14868/05/12



SPIKE LED

- 1x GU10/5W/3000K/320lm/incl.
- H 42/W 6,5/L 10,8 cm
- color black
- aluminium, glass & plastic spike



spare bulb
49006/05/30



27882/05/30

TATUM

- 1x 4,5W/INTEGRATED LED/3000K/417lm/incl.
- H 13/W 14/L 10,5 cm 27893/05/29
- H 13/W 14/L 10,5 tot H 39,5 cm 27894/05/29
- H 43/W 14/L 10,5 cm 27895/05/29
- color graphite
- aluminium



27893/05/29



27895/05/29



27894/05/29



TAYLOR


- 1x GU10/50W max./excl.
- Ø 10/H 26 cm
- color sandy black/sandy white
- aluminium



09832/01/30



09832/01/31



INCL CABLE / CONNECTION PART, PIN
& BASE PLATE FOR FIXING



spare bulb
49006/05/30



spare bulb
49006/05/31

MALTA LED

- 1x 5,4W/INTEGRATED SMD LED/3000K/231lm/incl.
- H 6,5/W 14/D 10,5 cm
- color black
- aluminium & pc


INTEGRATED
LED
INTÉGRÉ

IP54



WARM
WHITE
BLANC
CHAUD

15800/05/30



SINGA LED

- 1x9,6W/INTEGRATED SMD LED/3000K/553lm/incl.
- H 10/W 17/D 17 cm
- color black
- aluminium & pc

INTEGRATED
LED
INTÉGRÉ

IP54



WARM
WHITE
BLANC
CHAUD



15801/10/30




DIMO

- 1x E27/40W max./excl.
- H 11/W 10,8/L 25 cm
- colors black/rusty
- aluminium die-casting & opal pc

IP54



27853/01/97



27853/01/30



bulb suggestion
49021/04/60



DIGIT


- 3W/INTEGRATED LED/2700K/193lm/incl.
- H 20/W 3,6/L 15 cm
- color black
- aluminium & glass

INTEGRATED
LED
INTÉGRÉ

IP54

COLD
WHITE
BLANC
FROID

27899/03/29



THESI LED

- 1x 6W/INTEGRATED LED/3000K/220lm/incl.
- H 16/W 8,5/L 20 cm
- color black
- aluminium

INTEGRATED
LED
INTÉGRÉ

IP54

WARM
WHITE
BLANC
CHAUD

27881/06/30



INCLUDING SET OF
HOUSE NUMBER STICKERS



BASIC SOLAR

- 3W/INTEGRATED LED/2700K/380lm/incl.
- H 3,6/W 11,6/L 19 cm
- color black
- PC

INTEGRATED
LED
INTÉGRÉ

IP44

WARM
WHITE
BLANC
CHAUD



22862/04/30

INFRARED MOTION SENSOR
PIR MOTION DETECTOR SPECIFICATIONS
The lighting 20% brightness on during the dark.
100% on for 30 seconds when there is movement.
Sensor distance max. 3 meters.

SOLAR



BILTIN

- 1x GU10/max. 35W/excl.
- H 12,5/W 10,8/L 10,8 cm
- Ø 10,8/H 12,5 cm
- Ø 10,4
- H 0,3/W 10,8/L 10,8 cm
- Ø 10,8/H 0,3/W 10,8/L 10,8 cm
- colors black & satin chrome
- aluminium



PRESSURE MEASUREMENT : 100 KPA

11800/01/12

11801/01/12

11800/01/30

11801/01/30


11800/01/12



11801/01/12



11800/01/30



11801/01/30




bulb suggestion
49008/05/60

POWERPOINT

- Ø 10/H 40 cm
- anthracite
- aluminium



27849/12/29
POWER PLUG WITH EDGE GROUNDING
NL & D



27849/02/29
POWER PLUG WITH PIN GROUNDING
B & FR



CLAIRE MINI

- (1x) (2x) E27/max. 60W/excl.
- H 20/W 11/L 9 cm 27885/01/30
- H 36/W 11/L 9 cm 27885/02/30
- color anthracite
- aluminium & glass



bulb suggestion
49020/05/60



27885/01/30



27885/02/30

CLAIRE IR

- 1x E27/ max. 60W/excl.
 - H 29/W 16/L 14 cm
 - color anthracite
 - aluminium & glass
- IP54

IR



bulb suggestion
49015/05/60



INFRARED MOTION SENSOR
27883/11/30

CLAIRE LED

- 1x E27/max. 60W/excl.
- H 24,5/W 20/L 20 cm 27883/25/30
- H 50/W 14/L 14 cm 27883/50/30
- color black
- aluminium & glass



bulb suggestion
49020/05/60



27883/25/30



27883/50/30

CLAIRE WALL

- (1x) (2x) E27/max. 60W/excl.
- H 30/W 18/L 17,6 cm 27883/01/30
- H 40/W 14/L 16 cm 27883/02/30
- color anthracite
- aluminium & glass



bulb suggestion
49021/04/60



27883/02/30



bulb suggestion
49015/05/60



27883/01/30



15802/01/30



DUKAN

- (1x) E27/15W max./excl.
- H 9/W 8,6/L 25,8 cm
- color black
- aluminium & glass



DUKAN

- (2x) E27/15W max./excl.
- H 8,7/W 22/L 22 cm
- color black
- aluminium & glass



CAGE

- (1x) E27/18W max./excl.
- H 20,7/W 14/L 12,3 cm
- color black
- aluminium & textured glass



bulb suggestion
49042/05/62

27804/01/29



bulb suggestion
49042/05/62



15802/02/30

CLAIRETTE

- 1x 15W/INTEGRATED LED/3000K/650 lm/incl.
- H 38/W 16,7/L 12 cm
- color dark grey, clear diffuser
- aluminium & glass diffuser



28861/10/30



TENSO SOLAR

- 1x2,2W/INTEGRATED LED/3000K/(205) (264)lm/incl.
- H 29/W 15,4/L 14 cm 27891/02/30
- H 50/W 14/L 14 cm 27892/02/30
- solar panel 2W
- color graphite
- aluminium die casting



2W SOLAR PANEL PHILIPS 2,2W
CHARGING TIME 6-8 HOURS
WORK TIME FULL LIGHT 2,5-3 HRS
WORK TIME MICRO LIGHT 20-25 HRS



PIR MONTION SENSOR INCL.



27891/02/30



27892/02/30



KEPPEL

- 1x E27/40W max./excl.
- H 18,6/W 12/L 15,2 cm
- color matt black
- metal & clear glass



29824/01/30




bulb suggestion
49042/05/62



LINDELO

- 1x E27/40W max./excl.
- H 26,3/W 11,5/L 16 cm
- color matt black
- metal & clear glass



29825/01/30



bulb suggestion
49042/05/62



MAKKUM

- 1x E27/40W max./excl.
- H 37/W 16/L 21 cm
- color matt black
- metal & clear glass



29826/01/30



bulb suggestion
49043/05/62



NISPEN

- 1x E14/40W max./excl.
- H 31,5/W 13,5/L 16 cm
- color matt black
- metal & clear glass



bulb suggestion
49036/03/62

MATSLOT

- 1x E27/40W max./excl.
- H 24,6/W 13/L 14,2 cm
- H 30,5/W 16,5/L 18 cm
- color matt black
- metal & clear glass



bulb suggestion
49020/05/60

29828/01/30
29829/01/30

29828/01/30



29827/01/30



29829/01/30



CADIX

- 1x E27/15W LED max./excl.
- Ø 16/H 27,6/W21,5 cm 15803/01/30
- Ø 16/H 22 cm 15804/22/30
- Ø 16/H 50 cm 15804/50/30
- matt black
- die-casting aluminium & PL



15803/01/30



bulb suggestion
49035/05/62

LORI

- 1xE27/15W max./excl.
- H 21,8/W 14,7/L 12 cm
- H 80/D 12 cm
- color sand black
- aluminium



14893/01/30
14893/80/30



14893/01/30



15804/22/30


15804/50/30



bulb suggestion
49035/30/62



14893/80/30



WITH DAY/NIGHT SENSOR



bulb suggestion
49043/05/62

NAVI

- 1x E27/18W LED max./excl.
- Ø 12/H 23 cm 27802/01/29
- Ø 16/H 90 cm 27802/90/29
- dark grey & amber glass
- aluminium & plastic



27802/90/29

27802/01/29



bulb suggestion
49034/05/62

KIRAN

- 1x10W/INTEGRATED LED/2700-3000-4000-5000K/450-550lm/incl.
- H 22,9/W 11,3/L 12 cm
- color gold/black
- aluminium



45800/10/30



45800/10/02



TWIST 360° FOR DIFFERENT
LOOK



DUDLEY

- 1x E27/40W max./excl.
- Ø 25/H 11,3 cm
- color yellow brass/black
- aluminium & glass



bulb suggestion
49020/05/60



11890/25/02



11890/25/30

DUDLEY



- 1x E27/60W max./excl.
- H 11/W 13,6/L 19,7 cm
- color yellow brass/black
- aluminium & glass



bulb suggestion
49020/05/60



11891/20/02



11891/20/30

DUDLEY

- 1x E27/60W max./excl.
- Ø 11/H 30/W 15 cm
- color yellow brass/black
- aluminium & glass



bulb suggestion
49020/05/60



11892/01/30



11892/01/02



LEWIS

- 1x E27/60W max./excl.
- H 21,5/W 11,2/L 18,5 cm
- color black & satin brass
- plastic



bulb suggestion
49042/05/62



29899/01/30



29899/01/02



LIMAL

- 1x E27/60W max./excl.
- H 29,2/W 12,4 cm
- H 39/W 12,4/L 19 cm
- color black
- aluminium & glass



11875/01/30
11876/01/30



11876/01/30



11875/01/30



bulb suggestion
49035/05/62





LIVIA

- E27/60W max./excl.
- H 25/W 17,5/L 27 cm
- colors black/white
- aluminium & clear PVC



bulb suggestion
49021/04/60

FIGO

- 1x E27/60W max./excl.
- Ø 21,5 cm
- H 26,8/L 24 cm
- colors black & galvanized
- aluminium & clear PVC



bulb suggestion
49020/05/60



11811/01/30

11812/01/31



11812/01/30



11811/01/06



ARUBA

- 1x E27/60W max./excl.
- Ø 25/H 36/L 44 cm
- Ø 30/H 24/W 37 cm
- colors rust brown/black
- metal + glass



11871/01/97, 30
11870/01/97



11871/01/30



11870/01/97



bulb suggestion
49020/05/60

11871/01/97



ARUBA

- 1x E27/60W max./excl.
- Ø 25/H 78 cm
- Ø 28,5/H 110 cm
- color black/rust brown
- metal & glass



11872/01/30, 97
11873/01/30, 97



bulb suggestion
49020/05/60



11873/01/97



11872/01/97



11872/01/30



11873/01/30

TIRENO UP/DOWN

- 1x E27/60W max./excl.
- H 32/W 19/D 16,5 cm
- color black
- aluminium & glass



bulb suggestion
49020/05/60



11832/01/30



11833/01/30

TIRENO

- 1x E27/60W max./excl.
- Ø 16,5/H 42 cm
- color black
- aluminium & glass

11834/01/30



bulb suggestion
49020/05/60

TIRENO

- 1x E27/60W max./excl.
- Ø 16,5/H 120 cm
- color black
- aluminium & glass



11835/01/30



bulb suggestion
49020/05/60



TIRENO

- 3x E27/60W max./excl.
- Ø 49,8/H 205,7 cm
- color black
- aluminium & glass




11835/03/30




bulb suggestion
49020/05/60




INFO




Inclusief lamp
Lampe comprise
Lamp included
Leuchtmittel einbegriffen




Exclusief lamp
Lampe non comprise
Lamp excluded
Leuchtmittel nicht einbegriffen



Binnen
Intérieur
Indoor
Innen



Afstand lamp object
Distance lampe objet
Distance lamp object
Abstand Lampe Objekt



Conform Europese richtlijnen
Conformité européenne
European conformity
Entspricht Europäische Sicherheitsnormen

IP20

bescherming tegen aanraking met een vinger
protection contre les contacts avec un doigt
protection against contact with a finger
Schutz gegen Berührung mit dem Finger

IP21

bescherming tegen aanraking met een vinger
protection contre les contacts avec un doigt
protection against contact with a finger
Schutz gegen Berührung mit dem Finger

IP44


Spatwaterdicht
Protégée contre la projection d'eau
Splashproof
Geschützt gegen Strahlwasser

IP54

Stofvrij en spatwaterdicht
Protégée de la poussière et des projections d'eau
Dust protected and splashproof
Geschützt gegen Staub und eindringendes Wasser


IP65

Bescherming tegen waterstralen
Etanche à la poussière et protégée contre les jets d'eau
Dust-tight and protected against water jets
Staub- und Wasserstrahldicht




Klasse 1
Classe 1
Class 1
Klasse 1

Functional insulated with earth-
ing facility. Class I luminaires
feature terminal which is marked
by the earth symbol




Klasse 2
Classe 2
Class 2
Klasse 2

Class II luminaire.
Reinforced or double insulated
luminaire without earth protection




Klasse 3
Classe 3
Class 3
Klasse 3


Class III luminaire.
SELV (Safety Extra Low-Voltage) luminaire which
can only be fed by an extra low voltage supply
(i.e. less than 50 Volts).
Class III luminaires may not be earthed.




Inbouw
Encastrable
Built-in
Einbau



Dimbaar
Dimmable
Dimmable
Dimmbar



Geïntegreerde LED
LED intégré
integrated LED
integrierte LED



Voor montage op normaal ontvlambare oppervlakken
Pour montage sur des surfaces normalement inflammables
For mounting onto normally flammable surfaces
Für Montage auf normal entflammbare Oberflächen

INDEX

Name	Art. number	Page
JIVE	02807/04/30	9
JIVE	02807/04/31	9
JOE	06800/03/31	6
FJARA	06801/01/30	2
FJARA	06801/01/33	2
FJARA	06801/01/43	2
FJARA	06801/01/97	2
LITTLE JOE	06802/01/30	7
LITTLE JOE	06802/01/33	7
LITTLE JOE	06802/01/43	7
TAYLOR	09831/01/30	32
TAYLOR	09831/01/31	32
TAYLOR	09831/02/30	32
TAYLOR	09831/02/31	32
TAYLOR	09832/01/30	37
TAYLOR	09832/01/31	37
BILTIN	11800/01/12	42
BILTIN	11800/01/30	42
BILTIN	11801/01/12	42
BILTIN	11801/01/30	42
FIGO	11811/01/06	61
FIGO	11811/01/30	61
LIVIA	11812/01/30	60
LIVIA	11812/01/31	60
TIRENO UP/ DOWN	11832/01/30	64

Name	Art. number	Page
TIRENO UP/ DOWN	11833/01/30	64
TIRENO	11834/01/30	65
TIRENO	11835/01/30	66
TIRENO	11835/03/30	67
ARUBA	11870/01/97	62
ARUBA	11871/01/30	62
ARUBA	11871/01/97	62
ARUBA	11872/01/30	63
ARUBA	11872/01/97	63
ARUBA	11873/01/30	63
ARUBA	11873/01/97	63
ZICO	11874/99/12	16
ZICO	11874/99/30	16
LIMAL	11875/01/30	59
LIMAL	11876/01/30	59
DUDLEY	11890/25/02	56
DUDLEY	11890/25/30	56
DUDLEY	11891/20/02	57
DUDLEY	11891/20/30	57
DUDLEY	11892/01/02	58
DUDLEY	11892/01/30	58
RIO	13815/02/99	8
KIBO	14863/01/12	19
KIBO	14863/45/12	19
ARNE-LED	14866/05/12	25

Name	Art. number	Page
ARNE-LED	14866/05/30	25
ARNE-LED	14866/10/12	25
ARNE-LED	14866/10/30	25
ARNE-LED	14867/05/12	25
ARNE-LED	14867/05/30	25
ARNE-LED	14867/10/12	24
ARNE-LED	14867/11/12	25
ARNE-LED	14867/11/30	25
ARNE-LED	14867/49/12	24
ARNE-LED	14867/49/30	24
ARNE-LED	14867/98/12	24
ARNE-LED	14867/98/30	24
ARNE-LED	14868/05/12	35
ARNE-LED	14868/05/30	35
SOLID	14871/01/30	17
SOLID	14871/50/30	17
DINGO LED	14881/05/30	22
DINGO LED	14881/05/31	22
DINGO LED	14881/70/30	22
DINGO LED	14881/70/31	22
NINKE	14892/01/30	23
NINKE	14892/80/30	23
LORI	14893/01/30	53
LORI	14893/80/30	53
FEDOR	14899/01/12	18
FEDOR	14899/01/30	18

Name	Art. number	Page
FEDOR	14899/50/12	18
FEDOR	14899/50/30	18
FEDOR	14899/80/12	18
FEDOR	14899/80/30	18
MALTA LED	15800/05/30	38
SINGA LED	15801/10/30	39
CAGE	15802/01/30	46
DUKAN	15802/02/30	47
CADIX	15804/22/30	52
CADIX	15804/50/30	52
NORMAN	15805/01/30	20
NORMAN	15806/65/30	20
ZORA-LED	22860/05/30	27
ZORA-LED	22860/05/31	27
ZORA-LED	22860/10/30	27
ZORA-LED	22860/10/31	27
ZORA-LED	22861/05/30	26
ZORA-LED	22861/05/31	26
ZORA-LED	22861/10/30	26
ZORA-LED	22861/10/31	26
BASIC SOLAR	22862/04/30	41
LA DONNA	27500/02/29	3
LA DONNA	27500/02/31	3
SPHERE	27800/01/29	11
SPHERE	27800/01/31	11
PYRAMID	27801/01/29	10


INDEX

Name	Art. number	Page
NAVI	27802/01/29	54
NAVI	27802/90/29	54
WIZARD	27803/01/29	33
DUKAN	27804/01/29	46
BRAN	27817/07/29	33
DIMO	27853/01/30	39
DIMO	27853/01/97	39
BOOGY	27863/02/30	30
BOOGY	27863/02/97	30
TUBIX	27870/01/30	31
TUBIX	27870/01/31	31
COMBO	27874/25/30	12
COMBO	27874/45/30	12
COMBO	27874/65/30	12
THESI LED	27881/06/30	40
SPIKE LED	27882/05/30	35
CLAIRE WALL	27883/01/30	45
CLAIRE WALL	27883/02/30	45
CLAIRE IR	27883/11/30	44
CLAIRE LED	27883/25/30	45
CLAIRE LED	27883/50/30	45
CLAIRE MINI	27885/01/30	44
CLAIRE MINI	27885/02/30	44
JUSTIN	27888/04/30	5
JUSTIN	27888/04/31	5
JUSTIN	27888/05/30	4

Name	Art. number	Page
JUSTIN	27888/07/30	4
TENSO SOLAR	27891/02/30	49
TENSO SOLAR	27892/02/30	49
TATUM	27893/05/29	36
TATUM	27894/05/29	36
MANAL	27896/12/29	34
MANAL	27897/12/29	34
DIGIT	27899/03/29	40
TEXAS	28850/23/30	15
TEXAS	28851/40/30	15
TEXAS	28851/60/30	14
TEXAS	28851/61/30	14
GOA	28857/06/30	13
GOA	28857/61/30	13
CLAIRETTE	28861/10/30	48
KEPPEL	29824/01/30	50
LINDELO	29825/01/30	50
MAKKUM	29826/01/30	50
NISPEN	29827/01/30	51
MATSLOT	29828/01/30	51
MATSLOT	29829/01/30	51
LIAM	29898/01/29	21
LIAM	29898/80/29	21
LEWIS	29899/01/02	58
LEWIS	29899/01/30	58
KIRAN	45800/10/02	55

Name	Art. number	Page
KIRAN	45800/10/30	55
ZARO	69800/01/30	28
ZARO	69800/01/31	28
ZARO	69800/02/30	28
ZARO	69800/02/31	28
ZARO	69801/01/30	29
ZARO	69801/01/31	29
ZARO	69801/02/30	29
ZARO	69801/02/31	29

NOTES



LUCIDE BELGIUM
Bisschoppenhoflaan 145
B-2100 Antwerpen-Belgium
0032(0)3 366 22 04

www.lucide.com